



PARKING BARRIER  
LD-P2116B

Zenidea Parking Barrier Gate is a state-of-the-art solution reshaping parking access control with unparalleled efficiency and security. Engineered for seamless entry and exit experiences, this gate combines advanced technology with durability for optimal performance. Choose Zenidea for a future-ready parking management system that excels in reliability and innovation.

## Features

- Adjustable barrier direction (left/right) within 3 simple steps
- Robust motor, Easy maintenance
- Clutch engaged when bar is in position
- Reliable design, low repair rate
- On-cabinet Led indicator

## Technical Specifications

Housing Dimension	350*330*1060mm
Bar Length	Straight Bar<=6m, telescopic Bar<=5.8m, Customization Available
Power Consumption	150W
Power Supply	220V±10% 50Hz
Operating Temperature	-30°C ~ 70°C
Operating Humidity	20%~95% No Condensation
Housing Thickness	1.5mm+2.0mm(Customizable)
Body Material	Painted Carbon Steel, Tempered Glass, Baking Finish, Acrylic
Motor	DC24V Brushless Motor
Opening/Closing Speed	1.8-5s (Adjustable As Per Bar Type)
Lifecycle	8 Million Times
Protection Level	IP65
Remote Control Range	<=30m
Communication	Dry Contact/RS485
Net Weight	55kg
Gross Weight	65kg

