



Parking Barrier
LD-P2119

Zenidea Parking Barrier Gate is a state-of-the-art solution reshaping parking access control with unparalleled efficiency and security. Engineered for seamless entry and exit experiences, this gate combines advanced technology with durability for optimal performance. Choose Zenidea for a future-ready parking management system that excels in reliability and innovation.

Features

- Adjustable left and right mechanism
- Crank rocker transmission mechanism design , compact structure , increased rigidity and easy maintenance and operation
- When the brake lever positioned horizontally or vertically, the mechanism structure automatically engages a self-locking feature, effectively
- 20% less in components and decreased occurrence of defects
- Patented technology
- LED status indicator light

Technical Specifications

Housing Dimension	350*310*1050mm
Bar Length	Standard 2.5m straight bar (anti-collision fiberglass) Customization Available: Straight Bar≤6m, Extension Bar≤5m, rack ≤5m
Power Consumption	700W
Power Supply	220V±10% 50Hz
Operating Temperature	-40°C ~ 70°C
Operating Humidity	≤ 95%
Housing Thickness	2.0mm(Customizable)
Body Material	Painted Carbon Steel, Baking Finish, Tempered Glass
Mechanism	DC24V Servomotor
Opening/Closing Speed	0.3-6s (Adjustable As Per Bar Type)
Lifecycle	10 Million Times
Protection Level	IP65
Remote Control Range	≤100M
Communication	Dry Contact、RS485、RS232

