




Full Height Turnstile
LD-FHT-2006A

Zenidea Full-height Turnstile provides unrivaled security and seamless access control. This robust and durable solution integrates seamlessly with various access control systems, ensuring efficient management and real-time monitoring. With customizable options and a user-friendly design, Zenidea turnstile provides a comfortable and secure passage, while meeting industry compliance and safety standards. Choose Zenidea for the future of entrance control.

Features

- **Premium components:** Withstand extreme temperatures, ensuring durability and reliability.
- **Precision craftsmanship:** Meticulously shaped using advanced CNC technology for exceptional precision.
- **Enhanced performance:** Durable electromagnetic components and precise limit switch plates prevent malfunctioning and wear.
- **Seamless integration:** Supports RS485 interface for easy protocol connection.
- **Robust design:** ABS flame-retardant, waterproof housing for superior protection.
- **Customizable aesthetics:** Multiple color LED light options to suit any environment.

Technical Specifications

Housing Dimensions	1300*1500*2250mm
Power Voltage	220V±10% 50Hz
Power Consumption	30 ~ 60W
Operation Temperature	-20℃ ~ 70℃
Housing Thickness	2.0mm+1.2mm
Body Material	SUS304, Acrylic
Motor	Mechanical Transmission
Protection Level	IP65
Life Cycle	5 Million Times
Operating Humidity	20%~95% No Condensation
Flow Rate	20-30 People Per Minute
Width of Passage	600mm
Communication	RS485/Dry Contact

