



Tripod Turnstile
LD-TT2707

Zenidea Tripod Turnstile is a secure and efficient access control solution for various settings, such as commercial buildings, public facilities, and transportation hubs. With three rollers working in sync, it ensures smooth traffic flow while preventing unauthorized access. The gate's robust construction enhances security, deterring intruders and providing peace of mind. Its user-friendly design allows for quick and convenient passage, reducing wait times and congestion.

Features

- Tempered glass pannel
- Reliable limit switch with high temperature and corrosion resistance design
- Core mechanism made from die casting increases durability
- Premium electromagnet and electromagnetic valve installed enables stable engagement of the system
- Exceptional performance for anti-tailgating

Technical Specifications

Housing Dimension	1200*260*1086mm
Power Supply	220V±10% 50Hz
Power Consumption	40 ~ 70W
Operating Environment	Indoor, Outdoor
Housing Thickness	1.2mm+1.0mm
Body Material	SUS304, Tempered Glass
Mechanism	Mechanical Transmission
Protection Level	IP65
Life Cycle	5 Million Times
Operating Humidity	20%~95% No Condensation
Operating Temperature	-15℃ ~ 70℃
Flow Rate	20-30 People Per Minute
Width of Passage	510mm
Net Weight	31kg
Gross Weight	34kg
Communication	RS232/RS485, Dry Contact

